



KONICA MINOLTA

**bizhub** C3321i

Colour A4 multifunctional

**bizhub  
i-SERIES IS  
SMARTER  
WORKING**  
RETHINK IT



Giving Shape to Ideas

**bizhub i-SERIES**

# SIMPLIFYING WORK

Compact, easy to use  
A4 Colour Multifunctional Printer



## A compact MFP pursuing ease of use and good design

### New, easy-to-use panel design and UI for better operability


Adopting a large 7-inch touch screen, the operation panel has been redesigned to feature familiar smart device style operability. Simpler operation has been achieved by narrowing down functions and screen transitions to focus on frequently-used functions. The operation panel can also be tilted to suit individual users.



### Compatible with a wireless LAN environment\*

bizhub C3321i can be connected to a wireless LAN in environments that lack a wired LAN. It is compatible with simple AP (Access Point) Mode which can set up a local wireless LAN environment with only the main bizhub unit. A wireless LAN can be built separately from the company LAN. Because the separate LAN network bypass the company LAN, even mobile devices brought in from outside can be securely connected.

\*Requires optional Upgrade Kit UK-221.



### A compact body, 420 mm wide and 528 mm deep

Achieves a small footprint, enabling placement on a desktop or in tight office spaces.



### Designed for a maximum paper feed capacity of 1,600 sheets

bizhub C3321i offers an optional 500 sheet paper feed unit. Despite its compact body, it delivers substantial paper feed capacity with a maximum of 1,600 sheets, including 100 sheets of manual feed.

#### Standard tray: 500 sheets

Paper size: A4-A6, B5-B6  
Postcards (up to 20)  
Envelopes\* (up to 30)

\*Creases or print defects may occur depending on the envelope type, storage and printing environment.

**Max. 1,600 sheets**  
(80gsm paper)

#### Manual feed tray: 100 sheets

Paper size: A4-A6, B5-B6, legal  
Postcards (up to 20)  
Envelopes\* (up to 10)

\*Creases or print defects may occur depending on the envelope type, storage and printing environment.

#### Paper feed unit: 500 sheets (Option)

Paper size: B5, A4, letter

### Standard equipped Single-pass, Duplexing Automatic Document Feeder

Equipped with a standard Single-Pass Duplexing Automatic Document Feeder, bizhub C3321i achieves high speed scanning at 56ipm.

Risk of paper jams is also greatly reduced as the original does not need to be reversed during scanning.

# SCAN & FAX


Offers easy, handy colour scanning and Super G3 fax functions

\*The fax function is optional.

## Diverse Scan Send functions

Offers a variety of sending methods including email, PC, FTP server, USB flash drive etc. This promotes smooth information sharing and a paperless environment.

\*File formats: JPEG, PDF, compact PDF, TIFF, XPS, compact XPS, and PPTX.



## Stores received faxes in memory

Received fax data can be stored in the bizhub C3321i's memory. Printing after checking the data, or forwarding to an email address or PC, enables printing cost reductions and secondary use of data.

\*Requires FK-517 option.

## Sorting received faxes

This function sorts received faxes and redirects them to shared folders or email addresses based on the sender's fax number (TSI routing). This reduces the effort needed for sorting received faxes and removes concerns about fax loss.

## Forward TX function

This function forwards received fax data to a pre-specified destination (fax address, email address, shared PC folder etc.). Receiving a fax in data form reduces printing costs.

## Paperless faxing (PC-FAX)

Faxes can be sent directly from a client PC via the bizhub, eliminating the effort and cost involved in printing the original to send a fax. This in turn helps to improve productivity and reduces TCO (Total Cost of Ownership).

\*Windows only.

# COPY & PRINT

High-speed, high-quality colour copying and printing

## High-speed 33 ppm (A4) output for colour and monochrome


In addition to a high-speed output of 33 ppm (A4), a standard duplex printing function enables highly productive and fast printing. The unit can also handle paper thicknesses up to 210 gsm, allowing a wider range of print applications to be printed.

## Non-Image Area Erase function reduces toner consumption

When copying with the cover open, such as for thick books, the original is automatically detected and the shadowy area around the original is omitted. This reduces excess toner consumption.

## Equipped with Card Shot function

When copying both sides of an irregular-sized original such as a license or business card, the front and back sides of the card can be automatically arranged to be printed on the same side of one sheet.



## USB direct print

After inserting a USB flash drive into the USB port located at the side of the operation panel, printing procedures pop up on the touch screen, and the data can be printed with a few easy steps.



Compatible file formats: PDF, compact PDF, JPEG, TIFF, XPS, compact XPS, OOXML (.docx/.xlsx/.pptx), and PPML.

## Duplex printing/Combine function reduces paper use

Duplex printing, and a Combine function that aggregates multiple pages onto one page (when copying: a maximum of 8 pages; when printing: a maximum of 16 pages) come as a standard. The resulting significant reduction in paper use is effective in reducing TCO (Total Cost of Ownership).

## Standard equipped Windows/Mac-compatible controller

Delivers high-performance printing, even in a mixed Windows/Mac network. Executes high-speed processing and high-quality printing of page description languages such as PCL, PostScript3 conversion, and XPS, and of file formats including JPEG, PDF, and OOXML.


# MOBILE & CLOUD Compatible with both mobile and cloud network functions

## Konica Minolta Mobile Print<sup>\*1</sup> connects with mobile devices

A simple and intuitive user interface enables easy connection between mobile devices and bizhub. Documents and photos stored in the cloud can be easily printed.

\*1 The Android version can be downloaded from Google Play, iOS version from App Store and Windows 10 Mobile version from Microsoft Store.

\*Requires a wireless LAN environment to connect mobile devices to a network.



## Compatibility with mobile print services

bizhub C3321i is compatible with a variety of smart phones and tablets' mobile print services.



\* Some functions are only compatible in Classic Mode.

# ECOLOGY DESIGN

A range of environmental considerations made from outer case materials to power consumption

## Toner Save/Skip Blank Pages functions

bizhub C3321i is equipped with a Toner Save function that enables printing using reduced amount of toner, and a Skip Blank Pages function that will not print blank pages. This reduces usage of toner and paper which in turn reduces costs and environmental burden.

## Utilisation of recycled materials reduces environmental burden

Konica Minolta is using recycled material on product covers accounting to 60% of total surface areas.

## Operation key enables simple power saving

Simply pressing the power key switches it to Sleep Mode, enabling easy power saving when not in use.

## Social responsible efforts



## CUSTOMER BENEFITS



**Intuitive operability**  
Operate the bizhub like a smartphone or tablet with fully customised user interface



**Mobile connectivity**  
Print anytime from anywhere with Konica Minolta's innovative mobile technologies



**Security**  
Secure network integration, data encryption, storage data overwrite, and advanced user authentication



**Application ecosystem**  
Enhanced efficiency thanks to Konica Minolta's extensive applications portfolio



**Services**  
Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup



**Sustainability**  
Numerous eco features reduce energy consumption and costs

## OPTIONS

### 1 ENHANCED FEATURES

Antivirus  
LK-116

### 2 CONNECTIVITY

Fax board  
FK-517

Wireless LAN  
UK-221

USB I/F kit  
EK-P08

USB I/F kit w Bluetooth LE  
EK-P09

NFC I/F kit  
EK-P10

I/F cable for CSRC modem  
EK-P11


Biometric authentication  
AU-102

Card authentication  
ID card reader

Mount kit  
MK-P08

### LEGEND

- Mandatory option
- Option
- This option can only be installed with the respective option above it



### 3 OTHERS

10-Key pad  
KP-P03

Keyboard holder  
KH-P02

Working table  
WT-P03

### 4 MEDIA INPUT

Paper tray  
PF-P20

Paper tray  
PF-P27

Height adjustment unit  
PF-P22

Copier desk  
DK-P04

### 5 MEDIA OUTPUT

Off-line stapler  
FS-P04

## FINISHING FUNCTIONALITIES



Duplex



Corner  
stapling  
(offline)

## DESCRIPTION

### ENHANCED FEATURES

LK-116 Antivirus	Bitdefender® antivirus provides real time scanning of all incoming and outgoing data
------------------	--

### CONNECTIVITY

FK-517 Fax board	Super G3 fax, digital fax functionality
UK-221 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode
EK-P08 USB I/F kit	USB keyboard connection
EK-P09 USB I/F kit	USB keyboard connection; Bluetooth
EK-P10 NFC I/F kit	To connect with Android mobile devices
EK-P11 I/F cable for CSRC modem	GPRS modem connection for CSRC
AU-102 Biometric authentication	Finger vein scanner
ID card reader	Various ID card technologies
MK-P08 Mount kit	Installation kit for ID card reader

### OTHERS

KP-P03 10-Key pad	For use instead of touchscreen
KH-P02 Keyboard holder	To place USB keyboard
WT-P03 Working table	To place authentication device

### MEDIA INPUT

PF-P20 Paper tray	500 sheets, A4, 60-90 g/m <sup>2</sup>
PF-P27 Paper tray	500 sheets, A4, 60-90 g/m <sup>2</sup>
PF-P22 Height adjustment unit	To achieve comfortable height for operation
DK-P04 Copier desk	Provides storage space for print media and other materials

### MEDIA OUTPUT

FS-P04 Off-line stapler	20-sheet off-line stapling
-------------------------	----------------------------

## TECHNICAL SPECIFICATIONS

### SYSTEM SPECIFICATIONS

System speed A4	Up to 33/33 ppm (mono/colour)
Autoduplex speed A4	Up to 33/33 ppm (mono/colour)
1st copy out time A4	6.0/7.2 sec. (mono/colour)
Warm-up time	Approx. 13/15 sec. (mono/colour) <sup>1</sup>
Imaging technology	Laser
Toner technology	Simitri® V polymerised toner
Panel size/resolution	7" / 800 x 480
System memory	4,096 MB (standard/max)
System storage	16 GB (standard)
Interface	10/100/1,000-Base-T Ethernet; USB 2.0 / USB 3.0; USB host; Wi-Fi 802.11 b/g/n/ac (optional)
Network protocols	TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour
Automatic document feeder	Up to 80 originals; A6-A4; 50-128 g/m <sup>2</sup> ; Dualscan ADF
Printable paper size	A6-A4; customized paper sizes
Printable paper weight	60-210 g/m <sup>2</sup>
Paper input capacity	600 sheets / 1,600 sheets (standard/max)
Paper tray input (standard)	1x 500; A6-A4; custom sizes; 60-210 g/m <sup>2</sup>
Paper tray input (optional)	PF-P20 500 sheets; A4; 60-90 g/m <sup>2</sup> PF-P27 500 sheets; A4; 60-90 g/m <sup>2</sup>
Manual bypass	100 sheets; A6-A4; custom sizes; 60-210 g/m <sup>2</sup>
Finishing modes (optional)	Group; Sort; Staple (offline)
Automatic duplexing	A4; 60-210 g/m <sup>2</sup>
Output capacity	Up to 250 sheets
Duty cycle (monthly)	Rec. 6,500 pages; Max. <sup>2</sup> 96,000 pages
Toner lifetime	Black up to 13,000 pages CMY up to 9,000 pages
Imaging unit lifetime	Black up to 200,000 pages (imaging unit) CMY up to 100,000 pages (imaging unit)
Power consumption	220-240 V / 50/60 Hz; Less than 1.45 kW
System dimension (W x D x H)	420 x 528 x 572 mm (without options)
System weight	Approx. 38.4 kg (without options)

### PRINTER SPECIFICATIONS

Print resolution	600 x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Operating systems	Windows 10 (32/64); Windows 11; Windows Server 2012; Windows Server 2012 R2; Windows Server 2016; Windows Server 2019; Windows Server 2022; macOS 10.14 or later; Unix; Linux; Citrix
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation Latin
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android) optional; WiFi Direct

### SCANNER SPECIFICATIONS

Scan speed	Up to 28/28 ipm in simplex (mono/colour) Up to 56/56 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
Scan modes	Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX
Scan destinations	2,000 destinations + 100 groups; LDAP support

### COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Gradation	256 gradations
Multicopy	1-9,999
Original format	Max. A4
Magnification	25-400% in 0.1% steps; Auto-zooming

## FAX SPECIFICATION

<b>Fax standard</b>	Super G3 (optional)
<b>Fax transmission</b>	Analogue; i-Fax; Colour i-Fax; IP-Fax
<b>Fax resolution</b>	Up to 600 x 600 dpi
<b>Fax compression</b>	MH; MR; MMR; JBIG
<b>Fax modem</b>	Up to 33.6 Kbps
<b>Fax destinations</b>	2,000 single + 100 groups

## SYSTEM FEATURES

<b>Security</b>	IP filtering and port blocking; TLS1.2/1.3 network communication; IPsec support; IEEE 802.1x support; User authentication; Kerberos; Storage data overwrite; Storage data encryption (AES 256); Confidential fax; Print user data encryption optional: Antivirus realtime scanning (Bitdefender®)
<b>Accounting</b>	Up to 100 user accounts; Active Directory support (user name + password + e-mail + smb folder); User function access definition; optional: Biometric authentication (finger vein scanner); ID card authentication (ID card reader); Authentication by mobile device (Android/iOS)
<b>Software</b>	Data Administrator; Web Connection; Driver Packaging Utility; Log Management Utility

<sup>1</sup> Warm-up time may vary depending on the operating environment and usage

<sup>2</sup> If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed

- All specifications refer to A4-size paper of 80 g/m<sup>2</sup> quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

**Konica Minolta Business Solutions (M) Sdn Bhd** (72640-P)

Infinite Centre, Lot 1, Jalan 13/6, 46200 Petaling Jaya, Selangor, Malaysia.

**National Call Service Centre:** 1300 22 5556

**General Line:** +603 7891 0300 **Fax Line:** +603 7954 8316

**Email:** [marketing.1@konicaminolta.com](mailto:marketing.1@konicaminolta.com)

  Konica Minolta Malaysia

[www.konicaminolta.com.my/home](http://www.konicaminolta.com.my/home)



**KONICA MINOLTA**